

E-LINE HI-FLASH MAINTENANCE CLEANER 1626 (NYT)

Introduction

Maintenance cleaners clean oil and contaminants off of metal parts, printed circuit boards, barcode instruments, switch boxes, gear boxes, and engines. Techspray has produced Blue Shower maintenance cleaners for over 30 years, making Blue Shower a staple in maintenance departments all over the world! Techspray offers a variety of solvents and water-based cleaners that allow customers to match the right products with their cleaning needs. Choosing a strong, high quality cleaner saves time and money. Grease and oil flow right off, reducing the time and materials needed to scrub off stubborn soils.

E-LINE Hi-Flash is a non-chlorinated, light duty degreaser and electrical cleaner. Ideal for cleaning light oils and carbon residues from control panels, switch plates, enclosures, and work surfaces. Slower evaporation allows solvent to soak in and break down difficult soils.

Features / Benefits

- Ideal for electrical & maintenance cleaning
- High flash point
- Non-chlorinated
- Plastic safe
- Low odor
- Low toxicity

Applications

- Cold/Bucket Cleaning
- Electrical Cleaning
- Plant Maintenance
- Transit Maintenance
- Ultra-Sonic Cleaning

Chemical Components

<u>Component</u>	<u>CAS#</u>
Distillates (petroleum), hydrotreated light	64742-47-8
CARBON DIOXIDE	124-38-9

Chemical Properties *(SDS available on request)*

- PHYSICAL STATE: Liquid
- ODOR: Faint ethereal odor
- COLOR: Clear
- PERCENT VOLATILE: 100
- FLASHPOINT (METHOD): 147°F / 64°C (TAG CC)
- RELATIVE DENSITY: 0.78
- BOILING POINT: 372°F / 190°C
- VAPOR PRESSURE: 0.11 kPa (0.8 mm Hg) [room temperature]
- VOC: Carb – 50%
SCAQMD – 756 g/L
EPA – 50%
- KB VALUE: 27
- DIELECTRIC BREAKDOWN: 62 kV

Material Compatibility

- ABS.....Excellent
- Buna-N.....Excellent
- EPDMExcellent
- GraphiteExcellent
- HDPEExcellent
- Kynar™Excellent
- LDPEExcellent
- Lexan™.....Excellent
- NeopreneExcellent
- Noryl®Excellent
- Nylon 66™Excellent
- Cross-Linked PEExcellent
- PolypropyleneExcellent
- PolystyreneExcellent
- PVCExcellent
- Silicone Rubber.....Excellent
- Teflon™Excellent
- Viton™Excellent

Environmental Policy

Techspray® is committed to developing products to ensure a safer and cleaner environment. We will continue to meet and sustain the regulations of all federal, state and local government agencies.

Packaging and Availability

1626-16S 16 oz. Aerosol Can
 12 cans/case

Resources

Techspray® products are supported by a global sales, technical and customer services resources.

For additional technical information on this product or other Techspray® products in the United States, call the technical sales department at 800-858-4043, email tsales@techspray.com or visit our web site at: www.techspray.com.

North America
Techspray
8125 Cobb Center Drive
Kennesaw, GA 30152
800-858-4043
email: tsales@techspray.com

Europe
ITW Contamination Control BV
Saffierlaan 5
2132 VZ Hoofddorp
The Netherlands
+45 87 400 220
email: info@itw-cc.com

Countries Outside US
Call to locate a distributor
in your country.

Important Notice to Purchaser/User: The information in this publication is based on tests that we believe are reliable. The results may vary due to differences in tests type and conditions. We recommend that each user evaluate the product to determine its suitability for the intended application. Conditions of use are outside our control and vary widely. Techspray's only obligation and your only solution is replacement of product that is shown to be defective when you receive it. In no case will Techspray® be liable for any special, incidental, or consequential damages based on breach of warranty, negligence or any other theory.